16/42 Report from the Health, Safety and Risk Manager

SAF16-P43

42.1 The Committee RECEIVED a report from the HSR Manager.

42.2 The following points were NOTED in particular:

(i) A recent high-profile health and safety court case involving Alton Towers had revealed how the courts were interpreting the new sentencing guidance. The case highlighted the importance, amongst other things, of staff training, maintenance of equipment, access to equipment manuals and the attitude of managers. In particular the court had noted the pressures that were placed upon employees and the incentives used to maximise the time the rides in question were running.

(ii) Arising from 16/M18.4 Matters Arising, work was continuing on the development of a policy on Unmanned Aircraft Systems (Drones) with a view to a policy and guidance being made available for consideration at the February 2017 meeting. ACTION: Deputy HSR Manager

(iii) Arising from 16/M21 Development of Health and Safety Risk Registers, a full project plan had been developed and dates identified for the production of risk registers in all Schools and Professional Services with significant risks. Sessions had been conducted for imago, Student Services and the School of Arts, English and Drama, and they were to be guided through the process of producing their own action plans. This information would be used to produce an overall University health and safety risk register and coordinated audit plan.

(iv) Opportunities were being sought to work with academic colleagues on site to develop best practice and to strengthen the evidence base of Health and Safety Management. A significant piece of research was being undertaken with staff in the Department of Social Sciences to examine safety conversations with the aim of identifying ways of making them more effective. Practical training based on the research would be delivered in October and the research findings presented at the February 2017 meeting. ACTION: HSR Manager

(v) Visual Communications students had been asked to develop an approach to improve bicycle safety on site, and discussions were being held with the Design School to identify strategies to improve road safety on campus.

(vi) A wellbeing programme developed by staff in the School of Sport, Exercise and Health Sciences, ‘Walking Works Wonders’, had been implemented by the Corporate Services team.

(vii)

one School was considering incorporating disposal plans into their progression requirements. The Committee AGREED that the Director of Human Resources should take the lead, working with others, to develop a staff exit strategy. The policy would cover chemicals and other items accumulated whilst a member of staff carried out their role at the University. ACTION: Director of HR

16/48 University Fire Officer's Report

SAF16-P49

48.1 The Fire Officer's report was RECEIVED.

48.2 The following points were NOTED:

(i) Underlying issues associated with the fire alarm system at Holywell Park had been addressed. Engineers had been tasked with investigating an ongoing issue with an aspiration system.

(ii) The current method of alarm isolation was being reviewed to develop a more robust management system following two incidents involving contractors in occupied buildings. The Health and Safety Service and Facilities Management were to introduce a permit process with associated documentation to ensure that contractors were aware of University requirements to avoid such occurrences happening in the future.

16/59 Policy for the Management of Gas I nstallations

SAF16-P61

The Committee APPROVED the new policy.

16/60 Electricity at Work

SAF16-P62 (Additional paper)

60.1 Arising from HSSC MM16/22 the Committee RECEIVED a new policy and code of practice on electricity at work. The policy had been based upon the existing Facilities Management only policy.

60.2 The Committee NOTED that the documents were Loughborough specific and made no mention of the London campus. It AGREED that all health and safety policies should be reviewed to ensure that they covered the London campus. ACTION: HSR Manager

60.3 The Committee APPROVED the new policy and code of practice subject to minor corrections to be supplied by Alec Edworthy. ACTION: Technical Services Manager , Alex Edworthy .

16/61 Dates of Meeting in 2016/17

8 February 2017

7 June 2017

Martine Ashby
June 2016
Copyright © Loughborough University. All rights reserved.

Meeting	Minute	Description	Action	
SAF16-M2	35.3	Conduct consultation process involving staff and Unions prior to stress documents being finalised		

Meeting	Minute	Description	Action	Status
SAF16-M3	47.3	Take lead, working with others, in developing a staff exit strategy.	Director of HR	
SAF16-M3	48.2 (ii)	I (ak)-32-8/ (t)-19 9.96 -0t o		

Meeting	Minute	Description	Action	Status
SAF16-M3	59	Forward comments on effectiveness of HSE Committee to the HSR Manager	Members	
SAF16-M3	60.2	All health and safety policies to be reviewed to ensure cover London campus	HSR Manager	
SAF16-M3	60.3	Make changes to Electricity at Work policy and code of practice as supplied by Alec Edworthy	Technical Services Manager	

Ref: Date: 23rd January 2017

Paper Title: Report of the working group on the review of the constitution, terms of reference and membership of the Health, Safety and Environment Committee.

Review of the Loughborough University Health, Safety and Environment Committee

Background and Summary

The Health, Safety and Environment Committee (HSE Committee) on an annual basis, conducts a review of the effectiveness of the committee. At the meeting in September 2016 the Health, Safety and Risk Manager, requested and was granted, approval to conduct a more fundamental review of the committee.

The current role and terms of reference are reproduced in Appendix 1 and 2 for information.

Following a review the Health, Safety and Environment Committee are asked to approve :-

- The establishment of a smaller Health, Safety and Environment Executive Committee, which would replace the current Health, Safety and Environment Committee in the University structure and which would operate in the ways outlined in this paper. Specifically this would extend the remit of the committee to also consider matter16 (ou[4 (om))6 (sa10 (t)2 (e)10 (t)2 (eo)10 (E6 (ou2 (er)

Process of the Review

Approval was given by the HSE committee to establish a small working party to review the

Recommendations

The Role of the Committee

The Membership of the Health, Safety and Environment Executive Committee

The proposed membership of the committee is as follows :-

Chair :- Deputy Vice Chancellor,
Chief Operating Officer
Deputy Chief Operating Officer
A Dean selected on a rotating basis
An Operations Manager selected on a rotating basis
2 X Lay member of Council
Student Union Representative
One representative from each of the recognised Trades Unions (3 in total)

Ex officio members
Health, Safety and Risk Manager
Sustainability Manager
Human Resources Director

Rationale for choic e of membership
The proposed membership has been selected such that it is senior enough to exercise executive power across the University, whilst still being representative of the activities across the University.

Two lay members of council are recommended to ensure as far as is possible that one independent member is always present.

There was considerable debate regarding the proposed membership of the committee ultimately a Dean and an Operations Mangger have been recommended to be selected on a rotating basis to ensure that the committee remains close enough to the operational practices of the University to be relevant.

One representative from each of the recognised Trades Unions have been included to ensure that the diverse constituencies that they represent are fully represented, and to ensure that the legal requirements on consultation are properly discharged.

The membership of the committee should be reviewed after the first year of operation in order to ensure that the balance and coverage is effective.

The Role of School and Professional Services Safety Committees

These committees play an important part in the management of health, safety and environment across the University, however the activity and coverage of the committees varies substantially across the University.

To improve the effectiveness of these committees a recommended framework agenda has been issued, which, if followed will serve to link the committees more strongly with the central services and the Health and Safety governance structure.

The Next Steps

Approval is sought from the HSE committee to develop formal terms of reference for both the proposed Health, Safety and Environment Executive committee and the Consultative Forum for formal approval by Council in March 2017.

Subject to approval, the aim is for the new committee structure to start functioning in the new academic year.

Appendix 1 Details of Current Membersh ip

Position	Member
CHAIR, Provost and Deputy Vice -Chancellor	Chris Linton
Chief Operating Officer	Richard Taylor
Deputy Chief Operating Officer	Andrew Burgess
Two lay members, one of whom shall be a member of Council	Ann Greenwood (2018)
	Allan Jones (2017)
Three Representatives from each of the recognised Trade Unions: UNITE, UCU, UNISON	UNITE Spencer Aryeetey Rob Hunter Harshad Purohit
	UCU Alec Edworthy Marc Gibson Brian Reed
	UNISON Sandy Edwards Andy Gomez Irvin Hendrickson
Two members appointed by the Students' Union	Matt Gill Alice Kirkaldy
Two Deans of Schools nominated by the Chair, with a view to ensuring representation of a range of views and expertise	Mark Biggs (Sci) Mark Lewis (SSEHS)
Three Safety Officers from the S chools nominated by the Chair, with a view to ensuring representation of a range of views and expertise	Tony Goodall (SSEHS) Rachael Jermyn (School of the Arts) Bob Temple (Wolfson School)
One member of the Ethical Approvals (Human Participants) sub -comm ittee nominated by the Chair of the Ethical Approvals (Human Participants) sub -committee	Cristian Tileaga
The following Officers of the University will serve on the Committee ex -officio:	
Health, Safety and Risk Manager	Neil Budworth

Appendix 2 Loughborough University Current HSE Committee Terms of Reference

1. To act as a consultative forum, normally meeting three times each academic year, for the consideration and discussion of draft health, safety and environment policies and procedures;
2. To act on behalf of and to advise Senate and Council and senior management on matters of health, safety and environmental policy, structure and communications; and to recommend any action necessary to ensure the health and safety of staff, students and members of the public (including contractors and visitors to University premises);
3. To keep under review the University's legal and statutory obligations with regard to health, safety and environmental regulation compliance and to identify through regular monitoring and bring to the attention of senior management and/or Senate and Council areas where compliance is at risk or not being achieved;
4. To receive reports on health and safety and environmental audits, accident statistics, communications with enforcing authorities, and from relevant sub-

   corrective action required;
5. To receive updates on changing legislation and to review and assistn the] developmenmt policies and procedures to enable the University to eet all statutory requires;
6. To ensure all levels (t)0.002 Tw T* [()-3University management are aware (t)0.0022 (t)2 (h)10 (

Appendix 3 - The legal requirements regarding consultation

Ref: Date: 08/02/2017

Paper Title: HSE Committee Update for the period September 2016 to January 2017

Copyright © Loughborough University. All rights reserved.

Environment al Management

Subject: HSE Committee Up date for the period September 2016 – January 2017

Origin: Environment al Manager , Nik Hunt

Copyright © Loughborough University. All rights reserved

Appendix 1: ENVIRONMENTAL MANAGEMENT DEVELOPMENT PLAN 201 6/17 - progress report

1	2	3	4
Investing in People	Educating for Success	Growing Capacity & Influence	Raising Standards and Aspirations

	Objectives for Year 201 6 To 2017	Date:

Copyright © Loughborough University. All rights reserved

	CARRIED OVER FROM 2015/16		x		
	Duty of Care Audit Inspections on any waste contractors not audited in the last 12 months	4	x		

Copyright © Loughborough University. All rights reserved

Update so far

James Stapleton

8th February 2017

Content

- Objective re-cap
- Progress against programme
- Workshop lessons learned
- Trends identified (so far…)
- Issues identified outside local control
- Next steps
- Questions

Objective re-cap:

1. Identify significant H&S risks in each School / Professional Service
2. Production of local action plans to manage risks
3. University H&S risk register & audit programme
4. Providing visibility and assurance of key risks to the HS&E Committee

Progress against programme

Workshops undertaken to 25/01/17, since July 2016 (8 out of 23):

- Schools
  - School of the Arts, English and Drama 08/09/16
  - Loughborough University London 20/10/16
  - School of Social, Political and Geographical Sciences 09/11/16
  -

Workshop lessons learned

- The importance of Dean and Director attendance
- Agreement for shorter or joint workshops for smaller Professional Services
- Additional time for the production of action plans
- Contentious issues

- Overall – workshops have been positive & engaging

Trends identified (so far…)

Top 5 significant H&S risks identified, common across more than one School / Professional Service:

- Events
- Equipment / material / substance use
- Attack (personal)
- H&S Competence of individuals undertaking tasks
- Lone working

Issues identified outside local control of School / Service

Campus infrastructure concerns:

- Concern over the potential risk of collision of vehicles / pedestrians / cyclists in busy areas
- Poor lighting in some areas
- The increase of cyclists on campus - not all display lighting
- Some campus roads are narrow, causing vehicles to mount the pavements to pass (adjacent to the Paddock Pitch)
- The campus is open to the public – we have limited entry control

IT / Business Continuity / Data concerns:

- The consequences of IT failure are high to service delivery
- Safe storage of a high amount of sensitive data
- Personal data (e.g. student passports) left unsecured on campus

Questions

Ref: Date: 6th January 2017

Origin: Neil Budworth

1. Specific Decision Required by Committee	For information
2. Relevance to University Strategy	Supports investing in our staff and enhancing a culture of excellence in what we do.
3. Executive Summary	The Health and Safety Team have been working with Professor Elizabeth Stokoe and Dr Emily Hofstetter to examine the ways in which safety conversations can be made more impactful. This item updates the committee on the preliminary findings.
4. Essential Background Information	The Health and Safety Service is committed to working with the academic centres of excellence across the University to determine how that expertise can be used to drive excellent Health and Safety performance across the University.
5. Risks, Risk Mitigation and Governance/ Accountability	The only risks are in not trying to improve.
6. Implications for other activities	None
7. Resource and Cost	[redacted]afety Services budget

Copyright © Loughborough University. All rights reserved.

Health, Safety & Environment Committee

Executive Summary

Paper Title: University Fire Officers r eport for the period 1st September 2016 to 31st December 2016

Author:

	Brief on three small fire incidents, two in student halls of residence and one at the Hockey Pavilion involving external flood lighting with LF&RS in attendance. Update on fire alarm system issues at Holywell Park, Fire alarm system isolations in University buildings, and an update on alternative devices to reduce the number of false fire alarm and fire alarm incidents
4. Essential Background Information	Previous reports

Summary

To date in this academic year there has been three small fire related incidents, one of which required the attendance of Leicestershire Fire and Rescue.

Good progress is being made in improving the standards of fire alarm systems and reducing the number of false alarms across the Loughborough campus.

1. Fire Incidents

There have been three small fire related incident one involving the external hockey pitch lighting and two in Halls of Residence kitchens:

Incident 1
01/11/2016 21:35
Security attend following a call from the hockey pavilion reporting the flood lights has burnt out and a lot of smoke is coming from one.
LF&RS called and arrive onsite at 21:39 extinguished fire, inspected the flood light and request the system is isolated.
Electrician requested to make the light safe 21:40 arrived 22:05
Power isolated and security coned off the area incident stood down at 22:45
The following day Lighting engineers attended site the incoming cable had been damaged going in to the ground the incident appears to have been caused by a faulty capacitor causing a small fire this has in turn damaged all the internal electrical components and the incoming supply cable (see attached photos).

Incident 2
12/11/2016 Royce Block 5 (2nd floor kitchen)
An open book that had been left on the cooker rings which apparently were on full power. A Foam extinguisher was used by security to put out the fire, the area was heavily smoke logged, Smoke was cleared, the kitchen was secured and a Hall electrician was requested to isolate the affected electrical equipment involved.
This incident was investigated by Mark King, with little success.

Incident 3
16/11/2016 Hazlerigg Block D kitchen
Pan fire causing damage to the extractor fan. Following this incident the Warden sent out a memo to all students in Hazlerigg / Rutland Hall of residence. Reminding all students on the importance of kitchen safety and

The previous problem with the aspiration system in Core G Garendon Wing has now been resolved and to date no further false fire alarms from this system have been experienced.

Work is ongoing to document and validate the emergency lighting in Holywell Park. Arrangements are being made to perform a walk through in the hours of darkness to validate emergency lighting illumination levels.

3. Fire alarm system isolations in University Buildings

Health and Safety Service are working with the Facilities Development and Facilities Services teams to develop workable control system. Detailed proposals (2 drafts) have been made to the Facilities Development and Facilities Services teams. The target is to get a system implemented by the end of March 2017 to vach-24.(e)]TJ [-24.4 (e1be

0 Cayley/Rutherford D/Hall	0 Faraday/Royce D/Hall	1 David Collett D/Hall
0 Village Restaurant D/Hall	0 William Morris D/Hall	1 Towers D/Hall

Halls of Residence (University Managed)

4 Butler Court	17 Cayley	0 David Collett	44

The Major Che MMa6vp of4.3(or FM)-5.9 i4.3 ( )2.6(he e)-10.5 (A)35(he l)-6.79 ()2.6(he m2.6(he M)-10.5 (A)24.4

Minutes
HSSC17-M1
Minutes of the meeting held on 11 January 2017

17/7 Update on Compliance Questionnaires

HSSC17-P47

7.1 The committee received an update on the progress of compliance questionnaires. Members praised the approach for being user-centric.

17/8 Pressure Systems Audit

8.1 The committee noted that the report from the external audit had still not been received.

i) David Howell to confirm that there were no

Date of Next Meeting

- 18 May 2017, 10:00, Pearce Committee Room

Author – Tanya Osborne
Date – 17/01/2017

Health Safety and Environmental Statutory Compliance Sub Committee

Composition, Membership and Terms of Reference

Composition and Membership	
Deputy Chief Operating Officer (Chair)	Andrew Burgess
Health, Safety and Risk Manager	Neil Budworth
Deputy Director of Facilities Management	Andy Sweeney
Dean (to be nominated by HSEC)	Professor Chris Rielly
Operations Manager (nominated by HSEC)	Steve Warren
Environmental Manager	Nik Hunt
School Technical Services Manager	TBC

In attendance:	
Academic representative with expertise in this area	TBC
University Compliance Engineer	Paul Walker
FM Technical Services Manager	David Howell
Deputy Health, Safety and Risk Manager	James Stapleton

Secretary Tanya Osborne

Other Duty Authorised Persons, Heads of Professional Services Management Team, or other specialist advisors by invitation

Terms of Reference

x To advise Health, Safety and Environment Committee on compliance
6. Noise
7. Hand arm Vibration
8. Display Screen Equipment
9. Lifting equipment
10. Pressure systems
11. Electrical installation
12. Gas
13. Fire safety
14. Working at height
15. Vehicle movement, traffic management and driving
16. Environment

In 2015-16 the Sub Committee will undertake a management audit of compliance management to produce

1. Specific Decision Required by Committee	To approve a new University UAS (Drone) policy
2. Relevance to University Strategy	Legislative compliance / reputational impact issue

4. Essential Background Information	

Unmanned A ircraft System (UAS) (Drone) Policy

Contents

1. Policy statement

2. Objective

3. Responsibilities
   3.1 Deans and Heads of Professional Services
   3.2 University Health and Safety Service
   3.3 UAS Operations Coordinator
   3.4 UAS pilots

4. Definitions

5. Background
   5.1 Regulation of aviation in the UK
   5.2 Commercial aviation
   5.3 East Midlands Airport (EMA) Control Traffic Zone (CTR).

6. Generic health and safety considerations

7. LSU Drone Society use of Unmanned Aircraft Systems

8. Use of Unmanned Aircraft Systems for research and consultancy activities
   8.1 The University's Permission for Commercial Operations
   8.2 The University's Operations Manual

9. Use of Unmanned Aircraft Systems for teaching activities

10. Use of Unmanned Aircraft Systems for events

11. Recreational and all other UAS activities

12. Insurance

13. References and document management table

Appendix 1

1. Policy statement

It is the policy of Loughborough University, (LU), so far as is reasonably practicable, but in accordance with the relevant legislation, statutory requirements and good practice, to ensure the health and safety of staff, students and visitors to the University with respect to the use of Unmanned Aircraft Systems (UAS) (Drone).

2. Objective

The objective of this policy is to set out the requirements in respect of persons using UAS owned by the University on University business, or using personal UAS on University premises or business.

3. Responsibilities

7i2]Tc 0 Tc 0 Tw 9.4E9[(7i2]T)Ia2 (,)-6.62 (s)-2 (i7013 Tc 0.013 .TJ 0 Tc 0 Td ( )Tj EMC /DeT,)-6.62 (s-2 (iTd [(b7(y)8

5.1 Regulation of aviation in the UK

The primary legislation is the Air Navigation Order 2016 (ANO). The ANO is enforced by the Civil Aviation Authority (CAA), which has powers of prosecution.

The ANO does not distinguish between different types of aircraft. It covers ALL aircraft, of all sizes. The CAA grants “exemptions” from certain provisions of the ANO. If there is no explicit exemption, then the provisions of the ANO apply.

The ANO does not regulate the use of UAS indoors.

5.2 Commercial aviation

The ANO 2016 defines a ‘commercial operation’ as:

“…any operation of an aircraft other than for public transport—
(a) which is available to the public; or
(b) which, when not made available to the public, is performed under a contract between an operator and a customer, where the latter has no control over the operator, in return for re-numeration or other valuable consideration.”

Any commercial operation requires the operator to me.5 (r)]TJ 0 Tc 0 Tw 3tortov0u49 0 Tc 0 Tw

A CAA-issued Permission for Commercial Operations (PFCO) is required for all commercial UAS activities and for activities outside of the operating limits set out in the Air Navigation Order. Such permission is granted by submitting to the CAA, for their examination and approval, an Operations Manual. The University is seeking to obtain a PFCO covering multi-rotor and fixed wing remotely-piloted aircraft systems with a maximum take-off mass of less than 20 kg. Any permission will be issued to the University, not to any individual or group of individuals, and will be held by the UAS Operations Coordinator.

8.2 The University's Operations Manual

The Operations Manual covers ALL outdoor research/commercial UAS operations for the entire institution. As LU is a large, complex organisation that wishes to undertake many different types of mission it has to spell out its procedures in detail to reassure the CAA about LU's ability to design "open ended" missions safely.

This Operations Manual describes the organisation, aircraft systems, personnel, flight operations and procedures by which LU carries out UAS operations.

The Operations Manual describes, comprehensively, how UAS will be operated. It covers, (but not exclusively):

- Pilot qualification requirements
- Operational management
- Operational procedures
-

drone for the duration of its use for the University. This could include property damage cover for the drone too, but please note there is no accidental damage cover for drones whilst being flown.

The University Insurance office and University Health and Safety Service must be informed of, and consulted on any other types of UAS operations on campus. Information required will include the activity risk assessment, details of the pilot's training and a copy of a current public liability insurance certificate. (Minimum cover of £5M required).

13. References

1. Unmanned Aircraft System Operators in UK Airspace – Guidance. Go to; http://publicapps.caa.co.uk/docs/33/CAP%20722%20Sixth%20Edition%20March%202015.pdf

2. http://dronesafe.uk/ : Link to the Drone Assist" App, "Drone Aware" video and other resources
3. CAA Unmanned Aircraft - Requirements for operating in airspace

4. European Aviation Safety Agency - drone safety video

Document management table

Version	Owner	Author	Revised by	Summary of revision	Date of revision
1	UH&SS	H Weaver		New policy draft	January 2017

Appendix 1; Control Traffic Zone (CTZ)

The shaded area is the East Midlands Airport (EMA) Control Traffic Zone (CTZ) from the surface up to 10,500 feet. This means it is 'Class D controlled air space'.

The area unshaded to the south is uncontrolled airspace up to 2,500 feet, above this and up to 10,500 feet, is also 'Class D controlled air space'.

Copyright © Loughborough University. All rights reserved.

Our Vision

Educating for Success - A future where excellent, health and safety is achieved within the University, inspiring all to be ambassadors of good practice.

Our Strategic Principles

Processes will be put in place so that each individual is clearly aware of the risks they own.

Those who own the risk are aware of their responsibilities for the assessment and management of that risk.

Structures will also be put into place which will allow a good oversight of the most significant risks to the University and how they are being managed.

Responsibilities will be clearly defined and individuals will be held accountable for the delivery of those responsibilities

The Health and Safety Service will provide facilitation, advice, support and guidance, but the responsibility for the management of key risks lies with the owners of those risks.

The Health and Safety Service will work flexibly as a team, drawing on the skills and competencies of the team members as appropriate.

Communication within and beyond the Health and Safety Service is a key activity.

A life-shaping student experience

A future where excellent, health and safety is achieved within the University, inspiring all to be ambassadors of good practice.

Every member of staff and every student is aware of the risks that they face and the precautions that they should take and are motivated to take the appropriate precautions.

1. To ensure that all within the University have a clear understanding of their responsibilities and the actions they need to discharge those responsibilities

2. To ensure that there is a comprehensive training matrix available against which people can assess their training needs
3. To develop a positive and engaging communications strategy which positively influences all who come into contc 0 Tw 6.5iontc 0 Tw 6.5e r(i)6 (at)16 Tw 6.5e r(i)6 (at)16 Tw 6.5autions.

University Strategic Ambition	Health and Safety Aims	Health and Safety Objectives to support aims	What do we need to do to achieve this ?
Outstanding partnerships to develop social, economic and cultural prosperity	Seamless partnership between the practitioners in the University Health and Safety function and the academic departments to identify, and refine evidence based good practice.	1. To seek to identify where the H&S function and the academic departments can work in harmony to develop better approaches eg with the Ergonomists in the Design School to test and improve communications, with the School of Civil and Building Engineering to seek to take the identified areas of best practice in construction and utilise them on our own campus. 2. Work with the relevant departments to develop evidence based targeted approaches to improve standards across the University	

University Strategic Ambition	Health and Safety Aims	Health and Safety Objectives to support aims	What do we need to do to achieve this ?
One outstanding University: two vibrant campuses	Assurance that high health and safety standards are in place wherever we operate	1. To design and implement a comprehensive assurance programme which will inform the responsible individuals of the state of compliance and the actions needed for improvement.	Use HASMAP and the risk register as the basis for audit and assurance

Ref: Date: 20 January 2017

Paper Title: Revised draft Safeguarding Policy

Origin: Director of Student Services

1. Specific Decision Required by Committee	The committee is asked to NOTE the actions taken as a result of the previous discussion of the policy and ENDORSE the draft version for consideration by Council.
Strategy	The policy is of relevance to the Educating for Success theme of the University's strategy.
3. Executive Summary	Following discussion at the September meeting of HSE, the Director of Student Services was asked to do some further work to identify any revisions

	Accountability for the policy (including regular review an update) would rest with HSE Committee.
6. Implications for other activities	Those staff involved in pastoral and welfare/ support roles would need to be made aware of the policy and training made available to those key staff most likely to work with safeguarding issues. Staff involved in outreach work would also need to be made aware.
7. Resource and Cost	N/A
8. Alternative Options considered	N/A

Copyright © Loughborough University. All rights reserved.

Loughborough University Safeguarding Policy

Document Version Control

Version	2.3
Creation Date	21/06/16
Owner	Director of Student Services

Change History

Change Date	Changed by	Changes
25/07/16		

Table of Contents

1.	Scope	3
2.	Introduction	3
3.	Key Safeguarding Principles	4
4.	Definitions	4
5.	Reporting a Safeguarding Concern	6
6.	Admission of students under 18 years of age	7
7.	External Organisation Use of University Facilities	8
8.	Monitoring of Safeguarding Concerns and Review of this Policy	9
9.	Disclosure and Barring Service (DBS) Checks	9
10.	Key Contacts	9
11.	Links to other Relevant University Policies and External Guidance	11
12.	Links to other External Agencies and Resources	11
Appendix 1: Safeguarding Concerns Reporti ng Form		12
Appendix 2: Guidance for Staff on Safeguarding Children and Vulnerable Adults		16
Appendix 3: Flowchart for Reporting Safeguarding Concerns		21
Appendix 4: Declaration Form for External Organisations bringing children or vulnerable adults onto University premises		22

2.7. Loughborough University will ensure that all relevant staff (including students employed by the University) receive information and advice on safeguarding issues as appropriate for their role within the organisation.
2.8. Loughborough University will work in collaboration with Social Care Services, the Police and other relevant statutory and voluntary services to ensure children and vulnerable adults are safeguarded.
2.9. Loughborough University will ensure it has appropriate procedures in place to check the suitability of staff and students whose responsibilities involve close, unsupervised contact with children or vulnerable adults. These processes are detailed in paragraph 7.4 of this policy and in the University's Guidance on Recruiting Staff and Students to work with Children.
2.10. Loughborough University will ensure it makes appropriate support available to staff who receive disclosures of safeguarding issues.

3. Key Safeguarding Principles
3.1. Loughborough University will take all safeguarding concerns relating to children and vulnerable adults seriously, will consider concerns fully and will report any such concerns in a timely manner to the relevant person or body.
3.2. Safeguarding referrals to the relevant statutory body will be made on the basis of identified and evaluated risk, as per the procedures outlined in section 5 of this policy.
3.3. Loughborough University will ensure it maintains central records of any safeguarding concerns and any referrals made as a consequence. Any records will be kept in accordance with the University's Data Protection Policy.
3.4. Loughborough University staff working with students or staff who are the subject of safeguarding concerns will consider what support may be offered to the individual and will signpost accordingly. This may include referral to internal and/or external services.
3.5. In a placement or professional work experience setting (including teaching placements), a member of staff or student should normally report any safeguarding concern to the employer's Designated Safeguarding Lead, as per the employer's policy. If this is inappropriate, or if an appropriate response if not received from the employer, the safeguarding concern may also be reported to one of the University's Safeguarding Officers as per the procedure set out in section 5 below.
3.6. Research carried out on, or with the participation of, children or vulnerable adults

a) Health Care provided by or under the supervision of a health care professional;
b) Provision of Personal Care;
c) Provision of Social Work;
d) Assistance with general household matters;
e) Assistance in the conduct of a person's own affairs;
f) Conveying (transporting from one place to another).

The definition of regulated activity does not include any such activities carried out in the course of family and personal, non-commercial relationships.

4.3. For the purposes of this policy, Loughborough University defines a vulnerable adult as:

a) an individual over the age of 18;
b) who lacks the capacity to take care of him or herself (i.e. at risk of neglect); and/or
c) who may be unable to keep him or herself safe from the risk of significant harm or exploitation, including the risk of radicalisation or being drawn into terrorism.

Examples of Potential Safeguarding Concerns

4.4. This policy sets out how Loughborough University will deal with safeguarding concerns in relation to children or vulnerable adults. For the purposes of this policy safeguarding is defined as protecting children and vulnerable adults who may be at risk of exploitation (including radicalisation), harm, neglect or abuse.

4.5. Examples of types of situations which may present a safeguarding concern and which may result in implementation of the procedure detailed in Section 5 are provided below. This list is not exhaustive and staff will need to exercise professional judgement in determining whether there are safeguarding concerns which need to be considered. Advice can also be sought from a Safeguarding Officer (see Section 9 for contact details) :

a) A child or adult raises an allegation of current abuse, harm, neglect or other inappropriate behaviour;

5

e) A concern is raised that an individual presents a risk of abuse or harm towards a child or vulnerable adult. If there is a concern that a member of staff or student may present such a risk the University will carry out a risk assessment and, if appropriate, invoke other appropriate policies, including disciplinary procedures, the Fitness to Study policy or the appropriate Procedure for Applicants who declare a Criminal Conviction.

f) Concerns arise that a student or member of staff is vulnerable to radicalisation and there is an identifiable risk of the indivdual being drawn into terrorism.

g) A historic disclosure of sexual or physical abuse is made, where the perpetrator still has access to children or vulnerable adults.

4.6. The following incidents MUST always be reported to a Designated Safeguarding Officer:

a) If a child or vulnerable adult is accidentally hurt;

b) If you are concerned that a relationship is developing with a child or vulnerable adult, which could represent an abuse of trust;

c) If you are concerned that a child or vulnerable adult is becoming attracted to you;

d) If you are concerned that a colleague is becoming attracted to a child or vulnerable adult;

e) If a child or vulnerable adult misunderstands or misinterprets something you have done in a way which could be construed to be abusive or harmful;

f) If you have to use reasonable physical restraint to prevent a child or vulnerable adult from harming themselves or another, or from causing significant damage to property;

g) If a child or vulnerable adult reports an allegation of abuse regarding a member of an external organisation using University facilities.

5. Reporting a Safeguarding Concern

Making the Report sn (iv)5Td 2 Td (5.)Tj 0 Tc 0 Tw 0.826 0 Td ( )Tj2.6 (ng t

f) Report the matter immediately to a Safeguarding Officer. Contact details are included in Section 10.

5.3. If a student or staff member has an immediate and significant concern for a child or vulnerable adult's immediate safety , they may refer the matter directly to the Police or Social Care Services. Contact details are provided in Section 12 below. After they have done so they should report the incident to a Safeguarding Officer using the Safeguarding Concerns Reporting Form included in Appendix 1.

5.4. Where the situation is not urgent, any safeguarding concern should be reported to the Safeguarding Officer using the Safeguarding Concerns Reporting Form included in Appendix 1. Before referring to Social Care Services, the Police or any other external agency, the University will undertake a risk assessment. This will be carried out by a Safeguarding Officer (SO) in consultation with appropriate colleagues.

5.5. On receipt of a referral the Safeguarding Officer will limit their enquiries to that necessary to undertake a risk assessment and:

a) Address any serious and immediate risk to the child, vulnerable adult or any other party.
b) Preserve any evidence likely to be lost before external agencies can respond.
c) Determine the appropriateness of a referral to Social Care Services, the Police or another appropriate agency and provide sufficient information to the relevant external agency to enable an effective response.
d) Determine any further University procedures which should be invoked.
e) Identify any internal support required by the child or vulnerable adult

This may be carried out in conjunction with relevant colleagues and/or the Lead Safeguarding Officer.

5.6. [illegible]

8. M

t. 0116 2222222 or dial 101

Newham Local Children Safeguarding Board
t. 020 3373 4600

Newham Safeguarding Adults Board
t. 020 3373 0440

NSPCC
t. 0808 800 5000
e. help@nspcc.org.uk
www.nspcc.org.uk

ChildLine
t. 0800 1111
www.childline.org.uk

11.

C. Details of the alleged perpetrator/ individual causing concern			
Name (& ID if a student)		Gender	
DOB		Age	
Address (if known)			
Postcode		Tel No	
Relationship to child/ vulnerable adult			
D. Reason for referral			

I. Other information
Record any other relevant information.

Signature of Safeguarding Officer	
Print Name	
Date	

Appendix 2: Guidance for Staff on Safeguarding Children and Vulnerable Adults

1. Introduction and Definitions

   This guidance should be read in conjunction with Loughborough University's Safeguarding Policy, a copy of which is available at: INSERT LINK TO ONLINE LOCATION OF POLICY]

   For the purposes of this guidance and of its Safeguarding Policy, Loughborough University defines a child as a person who is under the age of 18 and defines a vulnerable adult as:

   a) an individual over the age of 18;
   b) who lacks the capacity to take care of him or herself (i.e. at risk of neglect); and/or
   c) who may be unable to keep him or herself safe from the risk of significant harm or exploitation, including the risk of radicalisation or being drawn into terrorism.

2. Principles

   These guidelines reflect the following principles:

   x The welfare of vulnerable groups, including children and vulnerable adults, is

- Ensure that if any form of physical contact is required, it is provided openly.
- Involve parents/ carers/ teachers wherever possible, for example by encouraging them to take responsibility for the children/ vulnerable adults in their care.
- Keep a written record of any injury that occurs, along with details of any treatment given.
- Attend any relevant courses provided by the University.

You should never do any of the following:

- Engage in rough physical or sexually provocative games with a child or vulnerable adult.
- Share a room overnight with a child or vulnerable adult.
- Go into a child or vulnerable adult's room unless absolutely necessary. Where this is necessary two members of staff should enter.
- Allow or engage in any form of inappropriate touching.
- Allow children to use inappropriate language unchallenged.
- Make sexually suggestive comments.
- Deliberately reduce a child to tears as a form of control.
- Allow allegations made by a child to go unchallenged, unrecorded or not acted upon.
- Invite or allow children to stay with you at your home unsupervised.
- Develop a social media friendship with a child or vulnerable adult, this includes being a Facebook friend with a child or vulnerable adult.
- Do things of a personal nature for a child or vulnerable adult which they can do for themselves. If any support with personal care is required (for example if the individual is disabled) this should only be provided by appropriately trained staff following protocols provided by their manager/ supervisor.
- Transport children or vulnerable adults on your own in a vehicle, except in emergency situations.

4. Recognising Abuse

The University recognises that some members of staff will have only very limited contact with children and vulnerable adults and consequently may not be in a position to recognise abuse.

Abuse can and does occur both within families and in institutional or community settings. The University acknowledges that some individuals seek to use voluntary and community organisations to gain access to vulnerable groups. The University also acknowledges that there may be some instances in which a University staff member may be suspected of abuse or inappropriate activity.

The following may indicate that abuse is taking place:

- Unexplained or suspicious injuries, particularly if such an injury is unlikely to have occurred accidentally.
- An injury for which the individual's explanation appears inconsistent.
- The individual describes an abusive act or situation.
- Unexplained changes in behaviour, including withdrawal from social or academic engagement.

Where the situation is not urgent, any safeguarding concern should be reported to the Safeguarding Officer using the Safeguarding Concerns Reporting Form. If a member of staff wishes to discuss a potential referral before completing the form they may contact a Safeguarding Officer and discuss the referral in principle without providing any names or identifying details.

Staff receiving an allegation or information from a child or vulnerable adult which they consider to pose a safeguarding concern must follow these steps:

- Listen carefully and stay calm;
- Reassure the individual that what they have reported will be dealt with;
- Keep questions to an absolute minimum, do not interrogate the individual. Any questions should be about any immediate health and safety concerns;
- Find an early opportunity to explain to the individual that the information will need to be shared. Do not promise to keep the matter confidential.
- Explain to the individual that you will need to report the matter to the University's Safeguarding Officer and explain the University's internal process as outlined in the Safeguarding Policy [INCLUDE LINK TO ONLINE POLICY].
- Make a full record of what was said and what you have done as a result. You should do so on the Safeguarding Concerns Reporting Form. The record should include:
  - A verbatim record of the individual's disclosure. This may be used later in any criminal proceedings and it is therefore vital that what the individual discloses is recorded as accurately as possible. The record must be drafted in the individual's own words and should not include the assumptions or opinions of others.
  - The nature of the allegation or concern.
  - A description of any visible physical injury. Clothing should not be removed to inspect the individual.
  - Any dates, times or places linked to any incidents and any other potentially useful information.
- Report the matter immediately to a Safeguarding Officer. Contact details are included in the Useful Contacts section below.

6. Support for staff receiving disclosures

The University recognises that staff may need support after receiving a disclosure. The Safeguarding Officer will discuss this with the staff member and will ensure that they are made aware of support available, including from the University Counselling Service

Appendix 3: Flowchart for Reporting Safeguarding Concerns



Appendix 4: Declaration Form for External Organisations bringing children or vulnerable adults onto University premises

Context

The University's Safeguarding Policy states that any external organisation whose membership includes children or vulnerable adults, that wishes to use University facilities, must confirm that they have a Safeguarding Policy and that they have conducted the appropriate checks on their staff. Below is a form of wording to be used when entering into an agreement with such an organisation. It is imperative that this document is signed by the external organisation in order to make it clear that they are responsible for any child protection issues that occur while they are on campus.

Agreement

It is the responsibility of all groups and voluntary organisations accompanying children (i.e. persons under 18) and vulnerable adults using the University's facilities to comply with legislation governing the protection of such persons. It is the policy of Loughborough University to seek assurances of such compliance and accordingly it requires confirmation of the following:

(a) that the organisation has a safeguarding policy;

(b) that appropriate

A	Code of practice – Part One; Electrical safety	12
B	Code of practice – Part Two; Electrical installation & portable (& transportable) equipment test and inspection (including PAT testing)	18
C	Guidance on com pleting an electric al risk assessment	27
D	High Voltage (HV) Electricity System Safety Rules and Associated Safety Guidance	29
E	Low Voltage (LV) Electricity System Safety Rules and Associated Safety Guidance	48

Revisions

u38
Number

1.1 PURPOSE

Loughborough University recognises its duties under the Health and Safety at Work etc Act 1974 (“the Act”), and the Electricity at Work Regulations 1989, (“the Regulations”) to provide a safe and healthy working environment by ensuring that precautions are taken against the risk of death or personal injury from the use of electricity in work activities. Furthermore, the University will ensure that electrical systems are constructed and maintained so as to prevent danger, and the use and maintenance of an electrical system, and work near a system, shall not give rise to danger. To this end a two part Code of Practice (CoP) incorporating,
Part One: “Electrical safety”, and
Part Two: “Electrical installation & portable (& transportable) equipment test and inspection – (including PAT testing)” is included in this policy.
Guidance on completing an electrical risk assessment also constitutes part of this policy. They are intended to assist all duty holders in meeting the requirements of the Regulations.

1.2 SCOPE

This policy and CoP applies to all electrical systems and equipment except the University High Voltage (HV) distribution ring main located in both the Loughborough and London Campus. All duties under the Regulations apply to the protection of employees. For the purposes of this policy students shall be afforded the same level of protection under the Regulations as members of staff. The Regulations impose responsibilities on the University, its employees and students, requiring them to conform with this policy and thereby the Regulations, in every respect.

Other individuals

and shared amenities of blocks of flats such as laundries and kitchens. They apply to fixed electrical installations which are not controlled by the Regulations.

3. Duty Holders

3.1 Heads of Schools / Support Services

a) Identify and compile a register of items of electrical plant and equipment that have been installed following an electrical risk assessment whenever this apparatus forms part of the University FS estate.

b) Ensure that items on the register are thoroughly inspected and tested at a frequency not less than that stipulated in the attached CoP.

c) Ensure that where necessary the inspection/testing of fixed wire electrical services will be notified to the relevant SSO / DSO's, and remedial action instigated where required. Reports of results of any tests / inspections will be available upon request.

d) Support University Schools / Support Services / Departments by providing upon request technical advice on plant, equipment or engineering controls that is or shall be provided, following an E

3.8 Contractors and visitors

a)

Appendix A

3 Risk assessment, safe systems of work and training

3.1 A risk assessment should be completed prior to working upon electrical apparatus or systems and a safe system of work implemented accordingly. (See Appendix C of this policy and CoP).

experiments, research and teaching practices. Any exceptions to this requirement shall be identified and defined in a formal exchange of letters between the Director of Facilities Management and respective Heads of Schools / Departments or Support Services.

4.3 For normal use all conductors on apparatus should be correctly designed and installed to prevent danger.

5

6.2.5 No practice should be allowed where absolute reliance is placed on an earth leakage trip.

6.3 Emergency stop buttons

6.3.1 In all new and refurbished laboratories and similar areas where high risk work is undertaken, isolation emergency buttons must be installed near doors and in convenient places in the laboratory so that all electrical supplies can be cut off in an emergency. These buttons can be made to operate the RCD and can be used for normal switching off at the end of working; in this way, the trip or device is tested regularly. Where danger or damage can arise from unexpected failures in electrical supply, buttons may be provided for emergency use only.

6.4 Second Person

Where a person is working with dangerous voltages, he must be accompanied by a second person, if this presence would significantly contribute to reducing danger. The second person must be capable of rendering the equipment safe and summoning help. Where help is not likely to be immediately available, the second person must be trained in resuscitation.

6.5 Construction of temporary wiring and experimental rigs

'Rigs' and temporary wiring should be constructed to the relevant standard with exposure to dangerous voltages minimised as low as reasonably practicable, within the context of a risk assessment.

Standard items of equipment, such as mains operated instruments and power supplies, should be constructed, wired and maintained to the standard required for portable (& transportable) electrical equipment in general use.
Large metal structures should be earthed or insulated or dealt with in some other way which will ensure safety, if they come into contact with extraneous voltages.

6.6 Yellow/green earthing

Under no circumstances should the yellow-green colour code be used for anything other than safety earth wire.

Colour coded wires are an aid to following circuits and to help workers to avoid mistakes. Systematic colour coding should follow, so far as reasonably practicable, BS EN 60445:2010 “Basic and safety principles for man-machine interface, marking and identification – Identification of equipment terminals, conductor terminations and conductors”. This will enable the colour coding to be understood by workers other than the constructor.

6.7 High current sources (batteries)

High current sources such as secondary batteries present special problems. Wherever possible they should be protected by fuses or circuit breakers as close as possible to the source. Battery terminals should be covered and insulated so that short circuits cannot be

Appendix B

Code of practice – Part Two; Electrical installation & portable (& transportable) equipment test and inspection ((including PAT testing)

1 Frequency of inspection and testing

1.1 All systems shall be maintained so as to prevent, so far as is reasonably practicable, danger. The method and frequency of formal maintenance and the inspection and testing of such installations shall be determined by the level of risk and nature of instal

1.3.2 Portable (& transportable) electrical equipment brought in by students or staff, is the responsibility of the individual(s) concerned. Certain items of electrical equipment are prohibited in Residential Halls. If found, this equipment can be confiscated by the Hall Manager, members of the Warden team, Campus Living staff or the H&SS. PAT testing can be carried out on permitted equipment at the request of the student or member of staff. Any equipment found to be causing problems e.g. circuit tripping or damaged, can be PAT tested and if found to be unsafe, removed.

1.3.3 Portable (& transportable) electrical appliances should, apart from specified low risk equipment, be subject to testing utilising a PAT tester. The use of a pass/fail PAT tester is normally acceptable as a minimum requirement for checking the validity of the earth and insulation. In cases following repair, or where more sophisticated specific readings are required, the department may use a more comprehensive form of portable appliance tester capable of producing specific readings.

of portable appliance tester capable of producing specific readings.

1.3.4 Multi-way plug adaptors, (see picture below),

must not be used. Over loaded adaptors can cause overheating from excessive current load and the earth pins on the appliances plugged into them are also vulnerable to incomplete contact, which stops earth faults from blowing the circuit as designed. Where there are insufficient sockets:-

- only individually fused extension leads are permitted, (no multi-way plug adaptors),

- extension leads must not be coupled in series (“daisy chained”). (See picture below .) Where additional distribution of electrical power is found necessary, more socket outlets should be requested through FS.

other persons who may be affected by the test.
(c) Visually inspect and electrically test portable (& transportable) equipment and

1.3.12 Electrical tests may be carried out using portable (& transportable) appliance testers which conform to the current BS EN 61010-2-201:2013, “Safety requirements for electrical equipment for measurement, control and laboratory use. Particular requirements for control equipment”. All new equipment should comply with this or an equivalent standard. Equipment predating this standard is not necessarily unsafe. PAT testers for departmental use can be of the simple 'pass-fail' type.

FS and some departments possessing the necessary expertise will keep one or more PAT testers capable of applying all appliance standard tests including flash tests and giving measured results. Equipment that fails the simple pass-fail test will be subjected to diagnostic testing using such PAT's. Test equipment itself is portable (& transportable) equipment and subject to this CoP. PAT testing equipment should be calibrated in line with control measures identified by the risk assessment.

1.3.13 To prevent damage and / or injury during testing, safe arrangements must be made for the disconnection of equipment such as IT equipment, lasers and optical fibre systems.

1.3.14 Equipment which is rarely moved and is connected by permanent connection or industrial coupler and which has its flexible cable protected against damage due to tension or impact, may be treated as part of the fixed installation and therefore can be excluded from a PAT testing regime.

Equipment operating at voltages less than 25 V AC or 60 V DC can be excluded from test and inspection procedures, providing that the electrical risk assessment shows there is no risk from injury from arc, fire and / or explosion.

1.3.15 Heads of Schools / Departments / Support Services are responsible for ensuring that inspection and test records are maintained. The results of inspection and test will be recorded in the equipment register, and a label indicating the next due date for inspection and test will be attached to the equipment. Where the equipment's flexible lead is wired into its supply terminals, the label should be affixed to the plug or on the cable adjacent to the plug.

The benefits of keeping records are;

- that it is a useful management tool for monitoring and reviewing the maintenance scheme;
- that it enables managers to demonstrate maintenance does take place, and,
- there is an inventory of portable and transportable electrical equipment which will identify any unauthorised equipment. However, this does not supersede any other existing inventory scheme being operated. Where records are stored on electronic systems it must be possible to extract a paper copy print out for presentation when requested.

Where equipment fails, it should be removed from service, repaired or disposed.

2. Safe systems of work

2.1 Work on University electrical services by Schools/Departments/Support Services is not permitted. Such work is only to be carried out by, or through FM.

2.2 Work on portable or transportable electrical equipment belonging to Schools/Departments/Support Services, including experimental rigs, is the responsibility of the relevant School/Department/Support Service.

2.2.1 All work must be done with the system securely isolated from its supply and all conductors discharged to earth potential, except when live diagnostic testing and the use of measuring instruments for carrying out minor adjustments is required.

Secure isolation will be achieved by the most convenient means, such as locking of isolators and labelling (Lock out tag out LOTO), that ensures:-
(a) that the system cannot be re-energised until the persons doing the work and their tools and equipment are withdrawn from the system, and
(b) all persons likely to be affected are informed that the system is to be re-energised.
Where risk assessments have identified other associated hazards, e.g. radiation, chemical, laser etc., precautions shall be taken in accordance with other relevant University Policies, CoP or guidance.

2.2.2 Work on electrical systems will be carried out by persons suitably trained and experienced to avoid injury from electricity.

2.2.3 Where testing, measurement and minor adjustment with the system live cannot be avoided, the following procedure must be observed:-
(a) The work must be done by persons competent to perform the specific task and, who meet the definition of “competent person” given in Section 2 of Appendix A of the policy, (“Definitions”).
(b) Unless live parts are protected to ingress protection standard I.P.2, (maximum access gap 12mm), a second competent person must be present who should be able to contribute to prevention of injury.
(c) Work must be limited to only those parts which need to be live.
(d) The work area must be safeguarded against unauthorised entry by barriers and warning notices.
(e) Proper use must be made of suitable insulating mats, screens, gloves, eye protection and insulated tools.
(f) Only approved test and measuring instruments will be used which are fitted with fused and shrouded leads and conform with the guidance given in the HSE’s Guidance Note; GS 38 (rev); – “Electrical test equipment for use by electricians”.

2.3 In addition to the requirements outlined in Appendix A; Code of Practice – Part One; Electrical Safety, the following will apply to work in test and repair workshops.

2.3.1 Test areas must be segregated from repair areas. Repairs and alterations must be done in the allocated repair area with the equipment securely isolated and discharged to earth potential.

2.3.2 Unauthorised persons must be denied access to the workshop unless accompanied by a competent person.

3. Training

3.1 Heads of Schools / Departments / Support Services and all other persons with responsibilities under this guidance, (except students), must be familiar with their duties under the Regulations and Section 3 of the University Electricity at Work policy. Familiarity with legal duties can be achieved by reference to the H&SS, it's website, published guidance, and other publications such as the University newsletter;"Health & Safety matters", e-bulletins and attending training courses and seminars, or by personal study. It should be noted that it is a legal requirement that managers and supervisors must be familiar with any risks associated with the use of equipment in their departments or sections.

3.2 Copies of s

e. No person shall commence work until they have undertaken and have approved a Risk Assessment and Method Statement,mmm

operations carried out.

f. Other people who may be exposed to DANGER by the operations or works receive adequate information and where necessary instruction.

g. The capabilities of PERSONS are taken into account by the DAP or SAP in allocating tasks.

h. PERSONS are provided with adequate Health and Safety training and retraining, e.g. HV Safe SWITCHING and refresher courses at periods not exceeding 3 years.

5. Issue of Safety Rules

These rules shall be periodically reviewed by the DAP. The most up to date version will be available in the Duty Holder Electrical file on the FM shared drive. All newly appointed HV AP's will be issued with a copy and drawings showing the HV Ring, substations and their locations on the Campus and Holywell Park. They will be inducted and arrangements made to walk them through the substations.

6. Variation of Safety Rules

In exceptional or special circumstances these safety rules may be varied to such an extent as is necessary and APPROVED by the DAP or SAP. Approval must be based on being satisfied that safety requirements are satisfied in another way. These variations must be documented and held as a permanent record.

7. Objections on Safety Grounds

When any person has concerns regarding the operation or work on the system, they shall refer them to the person issuing instructions or to a higher authority, DAP or SAP. The matter shall be investigated, and reviewed before proceeding.

8. Treatment for Electric Shock

All persons who may be in charge of or in control of any operation or work on the system shall be trained and conversant with the treatment for electric shock. An Emergency First Aid (HSE) course should be completed every 3 years, emphasising electrical burns & injuries.

9. Definitions

Within these rules, where reference is made to a definition below it will appear in CAPITALS within the text.

- APPARATUS – any equipment or switches on the HV system.
- AUTHORISED PERSON – (AP) – a COMPETENT PERSON

Over the age of 18 years, who has been appointed in writing by the DAP to carry out specified duties, which may include, subject to the permission of the DAP or SAP, the issuing and cancelling of SAFETY DOCUMENTS,PERMITS and LIVE SWITCHING activities.

- CAUTION NOTICE – a notice conveying a warning against interference.

- CIRCUIT MAIN EARTH – means the earthing equipment applied before the issue of, and at a position recorded in, a SAFETY DOCUMENT.

- COMPETENT PERSON – a person over the age of 18 years, who has the relevant technical knowledge and experience to prevent DANGER while carrying out specific duties on or adjacent to the HV system who may be nominated to receive and cancel SAFETY DOCUMENTS, with the permission of the SAP or AP. The Competent person may also be the DAP,SAP or AP.

- CONTROL ENGINEER will be the DAP or SAP or AP who will exercise the function and control SWITCHING of the HV system. The SAP shall have sole authority for any SWITCHING changes on the University HV system at any one time.

- DANGER – a risk to health, bodily injury or equipment.

- DANGER NOTICE – a notice reading “DANGER

Ac E1 0.00R9 (.(DA23)4TJ 0 Tc 0 Tw 1.333 1 0 -0 Tw

- ISOLATED – means disconnected from associated PLANT, APPARATUS and conductors by a SWITCHING device in the OPEN TO OFF position, or by adequate physical separation, or sufficient gap.

- LOW VOLTAGE (LV) - a voltage NOT exceeding 1000 volts.

- LIVE – means electrically charged.

- OPEN TO OFF – means electrically disconnected from the HV distribution system.

- PERMIT-TO-TEST – specifies the HIGH VOLTAGE APPARATUS which has been

11. HIGH VOLTAGE SWITCHING

- x DANGER NOTICES to be attached to adjacent LIVE equipment.

- x IDENTIFIED at the point of work.

- x RELEASED for work by issue of appropriate SAFETY DOCUMENT, PERMIT-TO- WORK/TEST, which shall not be issued unless the recipient is fully conversant with the part of the system to be worked on and the nature and extent of the work to be done.

- x Where the design of APPARATUS inhibits compliance with the above steps, the work will be carried out under instruction and agreement of the SAP. The instructions shall be documented in writing

b. Isolation of APPARATUS and Conductors:

- x Isolation and re-connection can only be completed with the authority of the CONTROL ENGINEER.

- x Dedicated SAFETY LOCKS shall be used to lock open all switchgear at points of isolation.

- x Keys shall be kept in a key safe or in the possession of the CONTROL ENGINEER, DAP.

- x FUSES, LINKS (and carriers) that control circuits to be worked on shall be removed and kept in the custody of the person issuing the SAFETY DOCUMENT, PERMIT-TO-WORK.

- x CAUTION NOTICES shall be fixed at all points of isolation.

c. Earthing:

- x Where practical, earthing shall be provided by use of a circuit breaker or earthing switch.

- x The trip feature shall normally be rendered inoperative before closing. This renders the switch inoperative whilst it remains a CIRCUIT MAIN EARTH.

- x After closing the breaker or switch it shall be locked in the EARTH position.

- x CIRCUIT MAIN EARTHS can only be applied or removed with the authority of the CONTROL ENGINEER, DAP, who shall record the time of application and removal.

- x CIRCUIT MAIN EARTHS shall be recorded on the SAFETY DOCUMENT, PERMIT-TO-WORK.

d. Authority to issue a PERMIT-TO-WORK:

- x Before any work can commence on the HIGH VOLTAGE system a PERMIT-TO- WORK must be issued.

- x A PERMIT-TO-WORK can only be issued by the DAP, SAP AP., who will then act as the CONTROL ENGINEER.

- x Procedure for Issue and Receipt:-

    - o A PERMIT-TO-WORK can only be received by a COMPETENT PERSON in charge of the work who shall retain the white (top copy) of the PERMIT in their possession.
    - o The PERMIT-TO-WORK will be explained by the issuer and the contents read back by the COMPETENT PERSON, who must confirm understanding of the PERMIT, the nature and extent of the work to be done before signing its receipt.
    - o Where there is more than one working party, each working party must have a separate PERMIT. The PERMIT-TO-WORK should be cross-referenced.

Wocedure f The PERMdRpartyhho2(M)dRpare t more tThe P croso

displayed and discharge all cables and capacitors before and after the application of test voltages.

c. The recipient has the authority to:

- Remove and replace EARTHS to complete testing without the further reference to the CONTROL ENGINEER.
- Make LIVE from a testing supply.
- Where reasona

f. Check the access, i.e. is there a step down?

g. Find the light switch and switch on

h. LOOK – Is

b. Comply with the legal obligations of statutory regulations governing the work which they carry out, the Health and Safety at Work Act 1974 and regulations pertinent to it, “The Electricity at Work Regulations 1989” and the IEE Wiring Regulations BS 7671.

c. Carry out their duties and work so as to prevent harm or INJURY to themselves and DANGER to persons working with them, students, contractors, self-employed persons and the general public.

3. Objections to Working Arrangements and Conditions

When any person has concerns regarding the operation of or work upon the LV system, they shall refer them to the person issuing the instructions, their su-as(r s)]TJ 1 0.00428 0 Td
5emceond Td ()T

- DEAD – At

the limita

b. Requirements for Work on DEAD, LOW VOLTAGE APPARATUS and Conductors:

- Before any work is carried out on DEAD LOW VOLTAGE equipment, the following must be carried out. It shall be:-
  - Switched off and ISOLATED from all sources

Working ‘dead’

Identification

Identify the circuit or equipment to be worked on. For most circuits and equipment, correct labelling is important, but never assume the labelling is correct and that work can be started without having first proved that the equipment or circuit is dead.



Secure I solation

Switches including circuit breakers should be locked off, using a ‘safety’ lock. All keys should be retained in a safe & secure place.

If a fuse is removed, make sure that it or a similar one cannot be reinserted by taking it away or by locking the box or enclosure until work is completed.

This should follow the LOTO principle

Lockout -tagout (LOTO) is a safety procedure which is used to ensure that potentially dangerous equipment is properly locked off and not able to be re-energised prior to the completion of maintenance or servicing work. It requires that hazardous energy sources be "isolated and rendered inoperative" before work is started on the equipment in question. The isolated power source(s) are then locked and a tag is placed on the lock identifying the worker who has placed it. The worker then holds the key for the lock ensuring that only he or she can re-energise the equipment.

Multiple locking hasp should be used if more than one individual is working on the same plant or equipment, to ensure inadvertent re-energisation is not possible.

Post notices

A notice or label at the place of disconnection should be used so everyone knows work is being done.

Proving dead

Once the circuit or equipment has been isolated, it must be checked that the circuit is dead before commencing work.

Some luminaires may have more than one source present. Either from a central battery system or dual phases.

Proprietary voltage detectors, test lamps or voltmeters with insulated probes and fused leads shall be used. (see HSE Guidance note GS38). Electrically competent staff shall be supplied with:-

1 off Proving Unit RS NUMBER 716-1086

1 off Fluke Tester RS NUMBER 750-8431

1 off Martindale Lock off Kit RS NUMBER 757-5084

or equivalents

Do not use multimeters or non-contact devices such as volt sticks for proving dead on low voltage systems.

It is necessary to test the instrument before and after use. This must be done by means of a proving unit with a low power output. If live circuits are used to prove instruments, adequate precautions against electric shock and short circuits should be taken.

All instruments used for checking circuits should be maintained and inspected frequently.
Remove fitting diffuser/cover

When remove the fitting diffuser/cover, assess the condition of the lamps before removing.

- Wear suitable PPE - Gloves

If in doubt, a qualified electrician must be consulted and a job specific method statement agreed

c. Work on LIVE LOW VOLATAGE APPARATUS and Conductors:

x No

- Minor sensation caused by contact with “LIVE” parts.

x When working on EXTRA LOW VOLTAGE CIRCUITS and APPARATUS the following shall be undertaken:-

  - The CIRCUIT to be worked on will be clearly identified or confirmed as an EXTRA LOW VOLTAGE CIRCUIT by a COMPETENT PERSON.
  - The CIRCUIT to be worked on shall be visually inspected to see that it is in a satisfactory condition.
  - There sha uah

Deputy Chief
Operating Officer
Andrew Burgess