n n

Dia ara ra 12,5 rra a,2, aj crista A 12,4 rra a a a 5,7%, and ra a a na araa, iraa a 11,2 ra ara A 15 ar ira iraa 21% a a.

nn nn

.....

n n

1. r r.

2. r.

.....

a , a(()-1.9()-2 [])-3.6()-1.9()-3.7()-23.1(2-16.3()-14.3(.)7.1()-1.9()-8. 1.3()-

•••••

, n n

 H
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a
 a

n

Cai , (1989). a a i a i a a a . J. Trop. Med. Hyg. 92:301-14.

Са — (2004). Нагазия. *J. Trop. Med. Hyg* 9:187-191.

Са – ¶, В ملک – а0, С ملک (2004). I на ал – ́а ангал I алаан, лан Вна. Am J Trop Med Hyg. 70(6):651-7.

С, НА, Га, Ма, КиА, М, КаNH, Ма Даа В, Nai GB,

Hij A, ij JF, B P, i A, M a GJ (2004). E i i a.i i , a ziaa a i a.i . *Water Sci Technol*. 50(1):147-54.

Kı L, M C a KE, D Ca Pı M, A aj JG, D a MA, G a L (1985). Faill a la l- a lalı a N - a Bal. J. Hyg(Lond).94(2): 173-80

Pa a, G., Ma , D., J I, A., M I I, ., , Ka, K. K., Da, B. J. (1999). (

I E, Kı а A, ¶ A, ¶ M, a ∠a I, H ∠a L, Mı ∠E (2002). Dıa a - a, ıı ,ı a a , a ı a ia. Am J Trop Med Hyg 66(5): 584-9

ME, M a CE, L MB, A a M, H , a M, O CA, Bai KG, K i BH, L P (2002). A a i , ia - a a, - ii a, a, ia a, ii a G a, a a. *Am J. Trop. Med. Hyg.* 64(4)

Н (2004). талал т. т. атт. тааа. а. . . Adv Appl Microbiol. 54:333-65

MD (2002). Managing water in the home: accelerated health gains from improved water supply. G a: من (Ho/ DE/ H/02.07)

HO (2002). The World Health Report 2002. G and Ha, O anal.

ADFID C. a 👝 a La I a Hau

Ma a 🥂 EDC a 🔔 🕂 M

P a EDC Water Engineering and Development Centre School of Architecture, Building and Civil Engineering Loughborough University Leicestershire LE11 3TU UK

--¶: + 44 (0) 1509 222885 E: (0 .a . : .a. /